

PRODUCT Catalogue



SHAKTI

VINOD
INDUSTRIES

Professional Kitchen Machineries & Equipments

Since: 1981

VINOD
INDUSTRIES

Head Office:

VII/1979, Lal Kuan, Delhi-110006 (India) Tel: 011-23217969, 9811029021, 9953947171

Factory cum Showroom:

T-1/93, Station Road, Opp. "Safal Factory" Mangolpuri Industrial Area, New Delhi (India)
Tel: +91-11-9953403539, 9810038652

E-mail: vinodindustries@hotmail.com Website: www.vinodindustries.in

enclafine 9811568082



Company Profile

The company was established almost three decades ago, in 1981 by Late Shri. Balwant Rai Bhalla.

The company provides unmatched quality products to its valued customers. As a result, many of our customers have patronized us for all their requirements of kitchen equipments.

Vinod Industries has been associated with Kitchen Equipment industry for well over two decades, and successfully providing our expertise to Hospitality Industry, Hotels, Restaurants, Banquet Halls, Residential Schools, Learning Institute, Clubs, Cafeterias etc in India.

Vinod Industries has been making unremitting efforts in terms of quality so that a better product is dispatched in the market. Inspite of stiff competition, we ensure that customer get the finest quality products at competitive prices.

Vinod Industries corporate policy is to provide best Quality Products, Prompt Service and Timely Execution of projects / delivery of products to our customers at all times.

Our Mission

- With all our personnel,
- Covering all expectations of our customers at maximum level.
 - Supplying continuous additional worth to society and environment.
 - Providing continuity on quality and service.

A Glance of our showroom



VINOD INDUSTRIES

Bakery Equipments

- Features:**
- Mixer & Bowl can revolve simultaneously to increase mixing speed and improve the effect.
 - The bowl and the part are made of stainless steel.
 - Equipment with safety covers.



Spiral Mixer								
Model	Volume (Ltr.)	Power (Kw)	Voltage (V)	Mixing Speed (R/Min.)	Bowl Speed (R/Min.)	Net Weight (kg)	Max. Kneading Capacity (Kg.)	Dimensions (LXWXH)/mm
SM-20	20	1.0	220	198	16	70	8	700x380x745
SM-30	30	1.1	220/380	202	16	95	12	730x430x810
SM-40	40	2.2	380	202	16	127	16	870x480x935
SM-50	50	2.2	380	202	16	130	20	920x530x935
SM-80	80	2.4	380	210	16	429	25	1122x682x1305
SM-100	100	4.5	380	210	16	482	40	1160x650x1340
SM-130	130	5.6	380	210	16	522	50	1222x750x1430



DST-400/550



DS-400/550/650

Dough Sheeter						
Model	Power (Kw)	Mechanical Dimension (mm)	Expanded W/H (mm)	Stowed W/H (mm)	Roller Range (mm)	Net Weight (Kg)
DST-400	0.4	780x1690x590	1690/590	780/660	1~35	110
DST-550	0.55	910x1890x590	1890/590	910/740	1~35	130
DS-400	0.4	760x2000x1040	2000/1040	620/1310	1~35	170
DS-550	0.55	900x2700x1100	2700/1100	700/1620	1~40	248
DS-650	1.1	1000x3100x1100	3100/1100	720/1720	1~40	288

- Features:**
- Equipped with safety cover, these machines run smoothly, safety and reliably.
 - They have features including robust structures, good-looking design, reliable performance and high automation.
 - They are especially suitable for pressing dough.

Bread Slicer						
Model	Power (Kw)	Voltage (V)	Bread Thickness (mm.)	Nos. of Slices	Net Weight (Kg.)	Dimensions (LXWXH)/mm
BS-31	0.25	220	12	31	59	650x660x760

- Features:**
- The machine is reliable running, easy operation and high efficiency. It is ideal machine to slice bread and cake.



VINOD INDUSTRIES

Food Mixers



Pizza Oven

Model	Power (Kw)	Voltage (V)	Volume (Ltrs.)	Capacity (Kgs.)	Net Weight (kg)	Speed	Dimensions (LXWXH)/mm
B5	0.3	220	5	0.5	15	1080 R/M	350x230x400
B7	0.4	220	7	1.0	20	1080 R/M	390x270x450
B10	0.6	220	10	2.0	43	2 Speed	420x370x660
B10K	0.75	220	10	2.5	50	3 Speed	420x370x660
B15	1.0	220	15	3.0	50	2 Speed	510x400x750
B20	1.1	220	20	5.0	70	3 Speed	540x430x780
B20K	1.25	220	20	5.5	80	3 Speed	540x430x780
B25	1.5	220	25	6.0	80	3 Speed	570x460x800
B30	1.5	220	30	7.0	90	3 Speed	680x540x950
B40	2.0	220	40	10.0	180	3 Speed	680x540x1150
B60	2.2	380	60	24.0	360	3 Speed	1030x620x1430

Planetary Mixer (Indian)

- Features:
- Available in 40, 60 & 80 Ltrs.
 - 3 attachments - Whip, Hook & Beater.

Bread Slicer (Indian) Table Top

- Features:
- Motor 0.5HP
 - Thickness of the slice can be customized.

VINOD INDUSTRIES

Bakery Range



Rotary Rack Oven

Model	Power (Hp)	Bread (400 Gms)	Cookies (kg)	Dry Rusk (kg)	Buns (Pcs.)	Dimensions (WXLXH)/Inch
AOB-24	1	84 Pcs.	9	9	144	47x65x60
AOB-36	1	120 Pcs.	14	14	216	46x66x77
AOB-42	1	144 Pcs.	16	16	252	47x66x86
AOB-72	1+1	254 Pcs.	27	27	432	64x62x99
AOB-84	2+2	296 Pcs.	32	32	504	64x62x106
AOB-120	2+2	424 Pcs.	45	45	720	72x68x106
AOB-160	2+2+1	564 Pcs.	61	61	960	81x127x106

Proofer

Model	Power (Kw)	Specification	Weight (kg)	Dimensions (mm)
6-H	2.5	1 Door/6 Trays	22	480x670x1000
12-H	2.5	1 Door/12 Trays	30	480x670x1510
15-H	2.5	1 Door/15 Trays	44	480x670x1780
24-H	2.8	2 Door/24 Trays	62	960x670x1510

Dough Divider

- Features:
- Power : 0.75 Kw.
 - Voltage : 220V
 - Productivity : 36 Pcs./time
 - Dividing Wt. : 30-120 grams/pc
 - Weight : 190 Kg
 - Dimension : 400x500x1100mm

Hand Blender

- Features:
- Power : 0.55 Kw.
 - Mixing Speed: 3800~12000 RPM

Dough Divider & Rounder

- Features:
- Power : 1.0 Kw.
 - Voltage : 220V
 - Productivity : 30 Pcs./time
 - Dividing Wt. : 30-100 grams/pc
 - Weight : 340 Kg
 - Dimension : 650x710x2100mm



VINOD INDUSTRIES

Baking Ovens



EBO-420



EBO-520



EBO-620

Mini Infrared Oven

Model	Power (Kw)	Voltage (V)	Temperature Range (°C)	Net Weight (kg)	Tray Size (mm)	Chamber Size (mm)	Dimensions (LXWXH)/mm
EBO-420	3	220	50~300	35	390x285x40	420x340x195	666x450x440
EBO-520	3	220	50~300	48	490x490x65	520x520x195	766x630x440
EBO-620	3	220	50~300	55	612x413x50	620x520x195	866x630x440

Features:

- Double temperature controller (Top & Bottom) to ensure baking more quickly and evenly.
- Automatic cut-down to keep the temperature constant.
- Timer range 0-60 mins.



VI-3-9

VI-2-6

VI-1-3



VI-1-2

VI-2-4

VI-3-6

Electric Oven

Model	Power (Kw)	Voltage (V)	Specification	Net Weight (kg)	Tray Size (mm)	Chamber Size (mm)	Dimensions (LXWXH)/mm
VI-1-2	6.8	220	1 Layer 2 Tray	69	410x605x35	865x655x225	1225x770x530
VI-2-4	13.6	380	2 Layer 4 Tray	200	410x605x35	865x655x225	1225x770x1240
VI-3-6	20.4	380	3 Layer 6 Tray	290	410x605x35	865x655x225	1225x770x1540
VI-1-3	9	220/380	1 Layer 3 Tray	92	410x605x35	1295x655x225	1655x770x530
VI-2-6	18	380	2 Layer 6 Tray	192	410x605x35	1295x655x225	1655x770x1240
VI-3-9	28	380	3 Layer 9 Tray	350	410x605x35	1295x655x225	1655x770x1540

Features:

- Oven will keep the constant temperature automatically.
- The Top & Bottom temperature can be set between 0~300°C.

VINOD INDUSTRIES

Baking Ovens



GBO-6

GBO-4

GBO-2

Features:

- Each layer can work independently, saving more energy.
- Fire pipe is made of high quality seamless steel tube.



GBO-9

Gas Oven

Model	Power (Kw)	Voltage (V)	Specification	Net Weight (kg)	Tray Size (mm)	Chamber Size (mm)	Dimensions (LXWXH)/mm
GBO-2	0.1	220	1 Layer 2 Tray	135	410x605x35	620x887x420	1330x895x680
GBO-4	0.2	220	2 Layer 4 Tray	280	410x605x35	620x887x420	1330x895x1460
GBO-6	0.3	220	3 Layer 6 Tray	410	410x605x35	620x887x420	1330x895x1735
GBO-9	0.4	220	3 Layer 9 Tray	500	410x605x35	620x887x420	1765x895x1735



Features:

- Special Designed door for convenient Operation.
- Uniform Heating.
- Over Temperature Protection System.

Convection Oven

Specification	: 4 Layers	Specification	: 6 Layers
Power	: 7.3Kw	Power	: 9.5Kw
Voltage	: 220V	Voltage	: 380V
Weight	: 110 Kg.	Weight	: 127 Kg.
Temperature	: 50~300°C	Temperature	: 20~300°C
Dimension	: 835x1065x815mm	Dimension	: 1000x946x805mm

Convection Oven

Model	: VI-4A
Power	: 2.6Kw
Voltage	: 220V
Weight	: 39 Kg.
Temperature	: 20~300°C
Dimension	: 595x530x570mm

Convection Oven

Specification	: VI-8A
Power	: 6.4Kw
Voltage	: 220V
Weight	: 67 Kg.
Temperature	: 20~300°C
Dimension	: 834x765x573mm

VINOD INDUSTRIES

Baking Ovens



Features:

- Heating By Infrared rays.
- Auto alarming and Timer.
- Top and Bottom Temperature Control.

Electric Oven							
Model	Power (Kw)	Voltage (V)	Specification	Net Weight (kg)	Tray Size (mm)	Chamber Size (mm)	Dimensions (LXWXH)/mm
VI-1-1	4.4	220	1 Layer 1 Tray	40	410x605x35	610x420x225	920x640x410
VI-2-2	8.8	220	2 Layer 2 Tray	85	410x605x35	610x420x225	920x640x800
VI-3-3	13.2	380	3 Layer 3 Tray	125	410x605x35	610x420x225	920x640x1100
VI-4-4	17.6	380	4 Layer 4 Tray	160	410x605x35	610x420x225	920x640x1400

Features:

- High Efficiency Heater with High Burning rate and Less Gas Consumption.
- Top and bottom fire control separately.



Gas Oven							
Model	Gas (Pa)	Voltage (V)	Specification	Net Weight (kg)	Tray Size (mm)	Chamber Size (mm)	Dimensions (LXWXH)/mm
VI-G-1-1	2800	220	1 Layer 1 Tray	55	410x605x35	610x420x250	1000x730x550
VI-G-2-2	2800	220	2 Layer 2 Tray	105	410x605x35	610x420x250	1000x730x1133
VI-G-3-3	2800	220	3 Layer 3 Tray	150	410x605x35	610x420x250	1000x730x1700

VINOD INDUSTRIES

Baking Ovens



Features:

- Heating By Infrared rays.
- Auto alarming and Timer.
- Top and Bottom Temperature Control.

Electric Oven with Proofer								
Model	Power (Kw)	Voltage (V)	Specification	Proofer	Net Weight (kg)	Tray Size (mm)	Chamber Size (mm)	Dimensions (LXWXH)/mm
VI-102-DF	9.4	220	1 Layer 2 Tray	10 Trays	140	410x605x35	865x655x225	1220x850x1520
VI-204-DF	16.0	380	2 Layer 4 Tray	10 Trays	250	410x605x35	865x655x225	1220x850x2080



Features:

- Heating By Infrared rays.
- Auto alarming and Timer.
- Top and Bottom Temperature Control.

Gas Oven with Proofer								
Model	Gas	Voltage (V)	Specification	Proofer	Net Weight (kg)	Tray Size (mm)	Chamber Size (mm)	Dimensions (LXWXH)/mm
VI-102-QF	LPG	220	1 Layer 2 Tray	10 Trays	160	410x605x35	887x620x420	1340x900x1620
VI-204-QF	LPG	220	2 Layer 4 Tray	10 Trays	290	410x605x35	887x620x420	1340x900x2120

VINOD INDUSTRIES

Pizza Ovens



EPO-1/1M/40X1



EPO-40X2/33X3/33X6



EPO-2M/40X1D/40X2D

Features:


- Double temperature controller (Top & Bottom) to ensure baking more quickly and evenly.
- Used high quality infrared heating tubes to bake well and to achieve high temperature fast.
- The models use oven-stones to ensure high temperature support

Pizza Oven

Model	Power (Kw)	Voltage (V)	Frequency (Hz)	Temperature Range (°C)	Net Weight (kg)	Chamber Size (mm)	Dimensions (LXWXH)/mm
EPO-1	3.01	220/380	50	50~300	54	630x420x130	930x620x360
EPO-1M	3.01	220/380	50	50~300	47	630x420x130	980x680x360
EPO-40X1	4.3	220/380	50	50~300	43	410x420x130	710x620x360
EPO-40X2	5.19	220/380	50	50~300	64	850x420x130	1130x620x360
EPO-33X3	5.94	220/380	50	50~300	98	1130x420x130	1330x620x360
EPO-33X6	10.38	220/380	50	50~300	100	1130x850x130	1330x1080x360
EPO-2M	6.02	220/380	50	50~300	93	630x420x130	980x680x600
EPO-40X1D	8.6	220/380	50	50~300	54	410x420x130	710x620x600
EPO-40X2D	10.38	220/380	50	50~300	83	850x420x130	1130x620x360



CPO-12



CPO-18

Features:

- Variable speed conveyor belt.
 - Adjustable cook time & temperature control.
- Conveyor speed is adjustable from 1-30 mins. of cooking time.

Conveyor Pizza Oven

Model	Power (Kw)	Voltage (V)	Specification	Temperature Range (°C)	Net Weight (kg)	Chamber Size (mm)	Dimensions (LXWXH)/mm
CPO-12	5.8	220	12" 10-15min/pc	0~500	45	560x360x70	1500x600x70
CPO-18	7.7	220	18" 10-15min/pc	0~500	72	800x520x70	2080x760x430

VINOD INDUSTRIES

Pizza Ovens



PO-1 ST



PO-2 ST

Features:

- Double temperature controller (Top & Bottom) to ensure baking more quickly and evenly.
- Used high quality infrared heating tubes to bake well and to achieve high temperature fast.
- The models use oven-stones to ensure high temperature support



PO-2-1



PO-2

Pizza Oven

Model	Power (Kw)	Voltage (V)	Frequency (Hz)	Temperature Range (°C)	Net Weight (kg)	Chamber Size (mm)	Dimensions (LXWXH)/mm
PO-2-1	4.2	220/380	50	0~500	68	610x610x140	910x820x430
PO-2	8.4	380	50	0~500	118	610x610x140	910x820x750

Features:

- Double temperature controller (Top & Bottom) to ensure baking more quickly and evenly.
- Used high quality infrared heating tubes to bake well and to achieve high temperature fast.
- The models use oven-stones to ensure high temperature support

VINOD INDUSTRIES

Deep Fat Fryers



*VIF-101



VIF-6/VIF-8/VIF-11



*VL-1



VL-5



*HDF-4



*HDF-8



* VIF-101-V



* VIF-7.51



VIF-121V/181V/221V



VIF-431

Gas Fryers



VIF-71



VIF-781



GF-171



GF-172

* Also available in double tank double sieve.

Electric Fryers

Model	Power (Kw)	Capacity (Lt.)	Dimensions (mm)
VIF-101	3	10	280X465X310
VIF-102	3+3	10+10	575X465X310
VIF-6	2.5	6	425X265X285
VIF-8	3.2	8	265X430X345
VIF-11	3.5	11	325X460X345
VL-1	3	6	220X400X315
VL-2	2.5X2	6+6	435X400X315
VL-5			
HDF-4	2.5	4	430X265X335
HDF-4+4	2.5X2	4+4	485X430X335
HDF-8	3.2	8	314X533X433
HDF-8+8	3.2X2	8+8	605X533X433
VIF-101V	4	10	280X460X325

Electric Fryers

Model	Power (Kw)	Capacity (Lt.)	Dimensions (mm)
VIF-102V	4X2	10+10	570X460X325
VIF-7.51	3	7.5	315X460X390
VIF-7.52	3X2	7.5+7.5	645X460X390
VIF-121V	4	12	316X555X382
VIF-181V	4.8	18	330X615X439
VIF-221V	4.8	22	360X680X470
VIF-431	9	43	680X500X650

Gas Fryers

Model	Power (Kw)	Capacity (Lt.)	Dimensions (mm)
VIF-71	-	5.5	290X520X445
VIF-781	-	5.5	288X430X545
GF-171	-	17	340X615X630
GF-172	-	17+17	380X615X630

VINOD INDUSTRIES

Food Displays



FD-1P/2P/3P



FD-601/602/603



FD-701/702/703



Popcorn Machine

Warming Showcase

Model	Power (Kw)	Temperature (°C)	Dimension (mm)
FD-1P	0.5	30~80	380x460x600
FD-2P	0.8	30~80	660x460x600
FD-3P	1.2	30~80	950x500x620
FD-601	1.5	30~80	710x520x660
FD-602	1.8	30~80	950x520x660
FD-603	2.0	30~80	1250x520x660
FD-701	1.0	30~80	420x500x610
FD-702	1.5	30~80	710X500x610
FD-703	1.8	30~80	940x500x610

- Features:
- Elegant shape and wide application.
 - Constant temperature and humidity preservation.
 - Safe & easy to operate.

Power (Kw)

1.5

Dimension (mm)

580x420x740

Warming Showcase

Model	Power (Kw)	Temperature (°C)	Dimension (mm)
FD-120Z	1.1	30~90	678x568x670
FD-160Z	1.5	30~90	875x568x670



FD-120Z/160Z


Cold Display Showcase

Model	Power (Kw)	Temperature (°C)	Dimension (mm)
CFD-75Z	0.17	0~12	450x450x983
CFD-245Z	0.25	0~12	580x540x1760

CFD-75Z

Cold Display Showcase

Model	Power (Kw)	Temperature (°C)	Dimension (mm)
CFD-125Z	0.23	0~12	696x568x686
CFD-165Z	0.24	0~12	874x568x686



CFD-125Z/165Z

VINOD INDUSTRIES

Fast Food Equipments



SG-811



SG-812



SG-813

Sandwich Griller

Model	Power (Kw)	Voltage (V)	Temperature (°C)	Net Weight (kg)	Dimensions (mm)
SG-811	1.8	220	50~300	14.5	310x310x200
SG-812	2.2	220	50~300	20	430x310x200
SG-813	4.4	220	50~300	28	570x310x200



GCC-1/ECC-1

Cotton Candy

Model	: GCC-1
Power	: 0.1Kw
Specification	: L.P.G.
Dimension	: 500x500x530mm
Model	: ECC-1
Power	: 1.2Kw
Specification	: Electric
Dimension	: 500x500x530mm



Pizza Sheeter

Power	: 0.25Kw
Weight	: 35 Kgs
Width	: 400mm
Dimension	: 530x500x570mm



CHF-1

CHF-2

Chocolate Melter

Model	Power (Kw)	Capacity (Ltr.)	Dimension (mm)
CHF-1	1.0	5	410x280x465
CHF-2	1.0	10	410x280x580



Features:

- Temperature range - 30°C~100°C.
- Thermostat for adjusting and maintaining temperature as required.
- Continuous stirring for a perfect and lump-free consistency.
- Special "anti-clogging" faucet.
- Food grade material used.
- Drip tray with float indicator warning.



Hot Dog Roller

Power	: 1.69Kw
Voltage	: 220V
Weight	: 14 Kg.
Dimension	: 590x400x420mm
Description	: 9 Rollers



Bun Toaster

Model	: BT-05
Power	: 2.0Kw
Dimension	: 410x700x330mm

Features:

- Fast and even toasting of buns.
- Thermostat and timer makes it easy and convenient to use.

VINOD INDUSTRIES

Fast Food Equipments

Waffle Baker

Model	: EWB-01
Power	: 1.1Kw
Dimension	: 250x430x250mm

Model	: EWB-02
Power	: 1.1x2Kw
Dimension	: 500x430x250mm



EWB-02



EWB-01

Features:

- Fast and deep bake setting.
- The griddle is made up of teflon which is non stick and easy to clean.
- Thermostat and timer makes it easy and convenient to use.

Square Waffle Maker

Model	: SWM-01
Power	: 2.0Kw
Dimension	: 310x450x280mm

Model	: SWM-02
Power	: 4.0Kw
Dimension	: 600x450x280mm



Cone Maker

Model	: ECM-01
Power	: 1.1Kw
Dimension	: 250x430x250mm

Model	: ECM-02
Power	: 1.1x2Kw
Dimension	: 500x430x250mm



ECM-02



ECM-01

Features:


- The griddle is made up of teflon which is non stick and easy to clean.
- Elements allow even heating on the surface.

Crepe Machine

Model	Power (Kw)	Voltage (V)	Net Weight (kg)	Dimensions (mm)
DE-1	3	220	15	480x490x230
DE-2	3+3	220	30	870x490x230

Lolly Waffle Maker

Model	: LWM-01
Power	: 1.5Kw
Dimension	: 350x400x270mm



Rotary Waffle Maker

Model	: RWM-01
Power	: 1.0Kw
Dimension	: 250x350x260mm



Rotary Square Waffle

Model	: RSW-01
Power	: 2.0Kw
Dimension	: 525x340x220mm



DE-1



DE-2

VINOD INDUSTRIES

Toasters & Salamanders



Conveyer Toaster				
Model	Power (Kw)	Voltage (V)	Net Weight (kg)	Dimensions (mm)
ECT-1	1.5	220	13	420x300x480
ECT-2	2.45	220	16.5	418x398x480
ECT-3	2.55	220	17.5	425x475x480

Pop-Up Toaster				
Model	Power (Kw)	Voltage (V)	Net Weight (kg)	Dimensions (mm)
PT-4	1.8	220	4	325x285x250
PT-6	2.5	220	5.5	460x285x250
PT-8	3.5	220	8	480x285x250



Lift-Up Salamander				
Model	Power (Kw)	Voltage (V)	Net Weight (kg)	Dimensions (mm)
ES-450	2.8	220	35	450x480x530
ES-600	4	220	45	600x485x530

Electric Salamander				
Model	Power (Kw)	Voltage (V)	Net Weight (kg)	Dimensions (mm)
ES-1	2	220	16	570x340x260
ES-2	3	220	23	580x390x390
ES-3	4	220	28	800x450x470

- Features:**
- It has an ideal result of heating and cooking dishes with crumbs and cheese.
 - Its handle can adjust the distance of the food and the heating source.

VINOD INDUSTRIES

Coffee Equipments




Semi Automatic Coffee Maker					
Model	Power (Kw.)	Voltage (V)	Boiler Volume	Weight (Kg.)	Dimensions (mm.)
Double Groove	3.7	220	11.5 Ltr.	67	700x490x450

Semi Automatic Coffee Maker					
Model	Power (Kw.)	Voltage (V)	Boiler Volume	Weight (Kg.)	Dimensions (mm.)
Single Groove	2.2	220	11.5 Ltr.	47	460x490x450



Semi Automatic Coffee Maker					
Model	Power (Kw.)	Voltage (V)	Boiler Volume	Weight (Kg.)	Dimensions (mm.)
Triple Groove	4.5	220	11.5 Ltr.	68	960x530x510



Coffee Grinder				
Model	Power (Kw.)	Voltage (V)	Weight (Kg.)	Dimensions (mm.)
CG-600	0.35	220	15	300x210x560

VINOD INDUSTRIES

Food Service Equipments

Features: ■ New design elegant appearance. ■ Stainless Steel-Clean & Healthy ■ Automatic constant temperature-highly effective and energy-conservation.



ST-5700



ST-5700S



ST-6000



ST-6000S



SG-6000



SRG-6000S

Soup Tureen

Model	Power (W)	Capacity (Ltrs.)	Dimension (mm)
ST-5700	300	5	280x280x395
ST-5700S	300	5	280x280x395
ST-6000	400	9	340x340x395
ST-6000S	400	9	340x340x395
SG-6000	400	9	340x340x395
SRG-6000S	400	9	340x340x395



WB-10/15



WB-20



WB-30



WB-40



Water Boiler

Model	Power (Kw)	Capacity (Ltrs.)	Dimension (mm)
WB-10	2.0	10	290x290x405
WB15	2.5	15	310x310x420
WB-20	2.5	20	310x310x523
WB-30	3.0	30	390x390x420
WB-40	3.0	40	390x390x523



BM-2




BM-3



BM-4



BM-6



BM-8

Bain Marie

Model	Power (Kw)	G.N. Pan	Dimension (mm)
BM-2	1.2	(1/2x4")x2	350x590x240
BM-3	1.2	(1/3x4")x3	350x590x240
BM-4	1.5	(1/2x4")x4	695x590x240
BM-6	1.8	(1/2x4")x6	1035x590x240
BM-8	1.8	(1/2x4")x8	1376x590x240

VINOD INDUSTRIES

Steamers & Rottiseries



Electric Steaming Cart

Model : ECS-6
Voltage : 3~380V
Power : 9Kw
No. of Trays : 6
Dimension : 770x650x990mm



VGR-726/835



VGR-266/268



Shawarma Machine

Model	Power (Kw)	Voltage (V)	Net Weight (kg)	Dimensions (mm)
ESM-3	4	220	25	580x650x760
ESM-4	6	220	31	580x650x950
GSM-2	-	220	33	700x650x780
GSM-3	-	220	38	730x640x920
GSM-4	-	220	36	535x610x950

Features:

- Suitable for steam cooking of Chicken, Fish, Rice, Dhokla & Idli.
- Power switch control.
- Automatic water inlet.
- Boiler alarm.
- Safety steam valve.
- High efficiency progressive doors lock anchor.

Gas Steaming Cart

Model : GSC-6
Pressure : 2800 Pa
No. of Trays : 6
Gas : LPG
Dimension : 700x650x1130mm
Model : GSC-8
Pressure : 2800 Pa
No. of Trays : 8
Gas : LPG
Dimension : 700x650x1300mm



GSC-6/8

Rotisserie

Model	Power (Kw)	Voltage (V)	Speed (Circle/Hr)	Capacity (Chickens)	Net Weight (kg)	Dimensions (mm)
VGR-726	0.6	220	40	12-16	96	670x650x1570
VGR-835	7.7	220	40	12-16	93	670x650x1570
VGR-266	4.5	220	40	12	65	810x670x610
VGR-268	6	220	40	16	81	1030x670x810

Features:

- Reflects heat as the rotisseries turns to ensure constant temperature to the food.
- Ease to operate, safe and energy saving.



ESM-3/ESM-4



GSM-2/GSM-3/GSM-4



VINOD INDUSTRIES

Meat Processing Equipments



VT-25/VT-50/VT-100

Vaccum Tumbler						
Model	Power (Watt)	Voltage	Vaccum Pump	Capacity (kgs./Batch)	Weight (Kg.)	Dimensions (mm)
VT-25	200	220	90 Watt	25	40	995x445x860
VT-50	370	220	90 Watt	50	61	1180x460x1030
VT-100	750	220	90 Watt	100	81	1190x560x1050



Marinator					
Model	Power (Watt)	Voltage	Capacity (kgs./Batch)	Weight (Kg.)	Dimensions (mm)
M-25	200	220	25	40	995x445x860



M-25

Sausage Nauting Machine				
Model	Pressure (MPA)	Production (Times/Min)	Diameter (mm.)	Dimensions (mm.)
VI-ZX1	0.4-0.6	60	10-35	1150x480x750



VI-ZX1




Patty Press Machine

VINOD INDUSTRIES


Meat Processing Equipments

Features:


- Blender rotates smoothly to ensure uniform blending.
- All the parts contacting the food directly are made of stainless steel.



Filling Mixer					
Model	Power (Kw)	Voltage (V)	Production (Ltrs.)	Net Weight (kg)	Dimensions (mm)
FM-35	0.75	220	35	136	700x510x1100
FM-50	1.1	220	50	152	820x510x1100
FM-70	1.5	220	70	178	850x500x1100



FM-35/50/70



MSF-3/5/7/10



MSF-8A

Manual Sausage Filler			
Model	Capacity (Ltrs.)	Net Weight (kg)	Dimensions (mm)
MSF-3	3	13	300x340x570
MSF-5	5	14	300x340x690
MSF-7	7	16	300x340x830
MSF-10	10	20	300x340x580
MSF-8A	8	30	730x220x280

Features:

- Oil system lifting sausage up and down, low noise and high efficiency.
- Mobile body ensure greater applicability.

Hydraulic Sausage Filler				
Model	Power (Kw)	Bowl Dia (mm)	Productivity (Kg./Hr.)	Dimensions (mm)
HSF-150	0.55	200	280	600x400x1240
HSF-260	0.75	260	400	640x485x1240
HSF-350	1.1	320	520	730x560x1240



HSF-150/260/350



Manual Sausage Clipper

Electric Sausage Filler			
Model	Capacity (Ltrs.)	Weight (Kg.)	Dimensions (mm)
ESF-10LA	11	34	400x300x750
ESF-15LA	17	37	400x300x860
ESF-20LA	21	45	430x330x860

Features:

- The new electric commercial lecter enema machine series, each models are made of stainless steel material.
- The integration frame and steel gear drive are sturdy and durable.



ESF-10LA/15LA/20LA

VINOD INDUSTRIES

Meat Processing Equipments



VI-TY20/VI-TY40/VI-TY80

Features:

- this machine adopts advanced control technology, safety & reliability, easy maintenance with excellent display control function.
- High speed of motor starting, high insulation and durability grade & good overload protection.




Haevy Duty Bowl Cutter

Model	Power (Kw)	Capacity (Kg./Pot)	Slaughtering Knife Qty.	Slaughtering Knife Rotate	Slaughtering Pot Rotate	Weight (Kg.)	Dimensions (mm)
VI-TY20	1.1	15.0	3 Pcs.	1480/2960	9 RPM	600	780x600x850
VI-TY40	5.1	30.0	3 Pcs.	1480/2960	9 RPM	1000	1100x830x1080
VI-TY80	10.98	60.0	6 Pcs.	1480/4000	7/16 RPM	1400	1820x1380x1260

Haevy Duty Bowl Cutter

Model	Power (Kw)	Capacity (Kg./Hr.)	Output Speed	Output Rate	Weight (Kg.)	Dimensions (mm)
VI-DM300	3.5	200-300	110 R/Min	68-78%	240	1100x440x900
VI-DM500	5.5-7.5	400-800	110 R/Min	68-78%	360	1200x550x1500



VI-DM300/VI-DM500

Features:

- Button operated control system.
- Driving structure : Direct connection between motor and reducer.



VI-SM-20/VI-SM-30/VI-SM-40

Hydrolic Stuffer

Model	Power (Kw)	Capacity (Kg./Hr.)	Filling Scope (mm)	Weight (Kg)	Dimensions (mm)
VI-SM-20	1.5	200-400	12-58	480	1020x590x1320
VI-SM-30	1.5	400-600	12-58	520	1020x620x1380
VI-SM-40	1.5	500-1000	12-58	710	1180x650x1410



VINOD INDUSTRIES

Meat Processing Equipments



MM-8/12/22/32

Features:

- The working parts (i.e. Knife, Worn Rod and Discharge Plate) of the machine are completely made of stainless steel.

Meat Mincer

Model	Power (Kw.)	Efficiency (kg/Hr)	Dimensions (mm)
MM-8	0.37	80	410x265x410
MM-12	0.65	120	450x295x450
MM-22	1.1	220	490x310x500
MM-32	1.5	320	735x415x620
MM-42	3	600	860x550x960



MM-42



MS-195/220/250/300

Meat Slicer

Model	Power (Kw.)	Diameter (mm)	Slicing Thickness (mm)
MS-195	0.10	195	0~12/14
MS-220	0.12	220	0~12/14
MS-250	0.18	250	0~12/14
MS-300	0.25	300	0~12/14

Features:



- The blade of the machine is completely made of stainless steel.



BS-1/2

Features:

- This special series Meat Mincer comes with 3 attachments- Meat Mincer (No. 22), Pulper (Tomato Puree) and Grater.



Bone Saw

Model	Power (Kw)	Voltage (V)	Cutting Thickness (mm)	Blade Speed (m/s)	Net Weight (kg)	Dimensions (mm)
BS-1	0.5	220	4-180	400x436	45	520x490x840
BS-2	0.5	220	4-180	610x530	60	600x530x970

Features:

- It is suitable for cutting through various bones. Easy to use with frozen meat.

VINOD INDUSTRIES

Vegetable Cut-up Machines



Features:

- Suitable for Chopping Vegetables, Fruits and meat products.
- Comes with safety control-once open the cover the machine stops working.
- Bigger models come with wheels for easy portability.
- Driven through an enclosed gear box.
- The blades are made of high quality stainless steel.
- Perfect machine for chopping onions without getting the water out of it.

Bowl Chopper

Model	Power (Kw)	Voltage (V)	Capacity (Ltr.)	Production (Kg./Hr.)	Dimensions (mm)
BC-5	0.37	220	5	100	440x690x420
BCM-5	0.37	220	5	80	530x420x540
BCM-20	1.1	220/380	20	120	775x710x940
BCM-30	2.2/2.8	380	25	300	990x810x980
BCM-50	2.2/2.8	380	50	360	1200x1000x1138



BCM-20/30/50




VCM-1



VCM-2



VCM-3



Features:

- Suitable for
- Slicing
- Shredding
- Cubes Cutting
- Grating
- French Fries Cutting

Vegetable Cutter

Model	Power (Kw)	Production (Kg./Hr.)	Body Type
VCM-1	0.25	60~70	Complete S.S.
VCM-2	0.25	100~120	Complete S.S.
VCM-3	0.75	100~120	S.S. & Aluminium Casting



UC-3/5/8

Features:

- Waterproof with two seal rings inside.

With Safety controller - if the lid cover opens machine stops working.

Universal Chopper

Model	Power (Kw)	Capacity (Ltrs.)	Cutting Speed (Rpm)
UC-3	0.65	3	1400
UC-5	1.5	5	1400
UC-8	2.5	8	1400

VINOD INDUSTRIES

Bar Equipments



DM-1

DM-2

DM-1A/2A

DM-1B

Drink Mixer

Model	Power (Kw)	Capacity (Ltr.)	Dimension (mm)
DM-1	0.18	0.5	185x185x520
DM-2	0.18x2	0.5x2	230x185x520
DM-1A	0.3	0.5	185x185x520
DM-2A	0.25x2	0.5	230x185x520
DM-1B	0.4	0.5	185x185x520

Features:

- Commercial motors can run over 9hrs. without stopping.
- SS blending axis and jug.
- For thick milk shakes, cocktails and mocktails.

High Speed Blender

Model	Power (Kw)	Capacity (Ltr.)	RPM
BL-1	0.85	1.5	25000
JTC	1.5	1.5	35000



BL-1



JTC

Ice Crushers

Ice Shavers



Model:	1	2	3	4	5	6	7
Power:	0.18 Kw	0.2 Kw	0.2 Kw	0.3 Kw	0.2 Kw	0.30 Kw	0.25 Kw
Capacity	-	-	-	-	-	200 kg/hr	120 kg/hr
Dimension	-	-	-	-	-	450x334x590	330x425x480

VINOD INDUSTRIES

Juice Dispensers

- Features:**
- Body is made of stainless steel & containers are made of high quality PC.
 - Operation is simple and convenient.

Juice Dispenser				
Model	Power (Kw)	Capacity (Ltr.)	Temperature (°C)	Dimensions (mm)
EJD 12X1	0.12	12x1	5~10	260x430x650
EJD 12X2	0.18	12x2	5~10	410x430x650
EJD 12X3	0.23	12x3	5~10	610x430x650



EJD 12X1



EJD 12X2



EJD 12X3



Juice Dispenser	
Model	: EJD 18X2
Power	: 1.0Kw
Temperature	: 7~12°C / 52~58°C
Capacity	: 18 Ltr.
Dimension	: 430x320x710mm
Specification	: Mixing, Cooling, Heating & Lighting



Juice Dispenser	
Model	: EJD 30/50
Power	: 0.33Kw
Temperature	: 7~12°C
Capacity	: 30/50 Ltr.
Specification	: Mixing & Cooling



Juice Dispenser	
Model	: EJD 9X2
Power	: 0.31Kw
Temperature	: 7~12°C
Capacity	: 9 Ltr. x 2
Dimension	: 420x330x690mm
Specification	: Spraying & Cooling



- Features:**
- Compact and luxurious design.
 - Electronic temperature controller with digital display to indicate the temperature of the beverages.
 - High quality compressor.
 - LED illumination inside
 - Stainless Steel Chassis & ABS panels
 - Food grade high density PC containers.

Slush Machine	
Model	: ESM 12X2
Power	: 0.86Kw
Temperature	: -2~-4°C
Capacity	: 12 Ltr. x 2
Dimension	: 470x510x810mm



- Features:**
- Body is made of stainless steel & containers are made of high quality PC.
 - Operation is simple and convenient.

Slush Machine	
Model	: ESM 15X2
Power	: 0.4Kw
Temperature	: 0.2~0.3°C
Capacity	: 15 Ltr. x 2
Dimension	: 370x570x730mm



VINOD INDUSTRIES

Juice Extractors



OJ-100



- Features:**
- The machine has chiller inside that keeps juice fresh and cold.
 - Best suited to put in malls and other public areas for hygiene purpose.
 - The roller can be easily taken out to clean.
 - Roller are made of 100% stainless steel.

Sugarcane Juice Extractor With Chiller

Model	:
Power	: 1.1 KW
Refrigerant	: R134a
Dimensions	: 1120x1020x950mm.



- Features:**
- It uses food grade plastic parts & stainless steel body.
 - Anti corrosion, easy to wash after operation.

Automatic Orange Juicer				
Model	Power (Kw)	Orange Size (mm)	Output (Pcs./min.)	Dimensions (mm)
OJ-100	0.12	60~90	20	400x300x780
OJ-400	0.37	60~90	40~60	660x640x1720



OJ-400

- Features:**
- The residue can be automatically separated.
 - Stainless steel cutter and mesh and aluminum alloy.

Centrifugal Juicer	
Model	: CJ-1
Power	: 0.37Kw
Speed	: 2800 Rpm.
Efficiency	: 70kg./Hr.
Dimension	: 340x270x360mm
Model	: CJ-2
Power	: 0.55Kw
Speed	: 2800 Rpm.
Efficiency	: 100kg./Hr.
Dimension	: 430x350x450mm



SJE-1



SJE-2



SJE-3




SJE-4



SJE-5

Sugarcane Juice Extractor			
Model	Power (Kw)	Output (Kg./Hr.)	Dimensions (mm)
SJE-1	-	-	500x365x395
SJE-2	0.55	200~250	450x450x500
SJE-3	0.75	250~300	460x390x635
SJE-4	0.75	250~300	460x390x905
SJE-5	0.55	200~300	600x400x930

- Features:**
- Elegant model and Hygienic use.
 - The rollers parts are made of steel.
 - Table top models-easy to install and use.



VINOD INDUSTRIES

Miscellaneous



PW-1



PW-2

Plate Warmer

Model : PW-1
Power : 0.4Kw
Dimension : 450x560x930mm
Model : PW-2
Power : 0.4x2Kw
Dimension : 450x980x930mm



Griddle (Electric)

Model	Power (Kw)	Temperature (°C)	Plate Type	Dimensions (mm)
EG-548	3	50~300	Flat	555x473x293
EG-548/2	3	50~300	½ Grooved	555x473x293
EG-750	6	50~300	Flat	750x600x475
EG-750/2	6	50~300	½ Grooved	750x600x475
EG-830	3	50~300	Flat	520x510x220
EG-600	5.6	50~300	Flat	600x600x340

Features:

- Thermostatic control ensures accurate temperature control and consistently perfect result.
- The Heater/Burner is placed in a way to ensure even heating on the surface.



Dish Washer

Model : Under Counter
Hourly capacity : 500 plates (305mm)/h
Wash pump : 220 Ltr./min, 0.37kw
Wash tank capacity : 20 Ltr.
Wash tank heater : 0.5KW
Wash temperature : 60°C~65°C
Rinse tank capacity : 8 Ltr.
Rinse tank heater : 2.4kw/64kw (380V)
Rinse temperature : 82°C
Electrical input : 380V
Net wight : 59kg
Dimension : 600x630x860mm

Juice Dispenser (without refrigeration)



270 220 580



560 580 220



850 580 220

Griddle (GAS)

Model	Gas Pressure(Pa)	Temperature (°C)	Plate Type	Dimensions (mm)
GG-600	2800	50~300	Flat	600x600x475
GG-750	2800	50~300	Flat	750x600x475
GG-718	2800	50~300	Flat	550x540x540
GG-720	2800	50~300	Flat	730x590x540
GG-722	2800	50~300	½Grooved	730x590x540



Dish Washer

Model : Hood Type
Hourly Capacity : 1000 plates/h 60 Rack/h
Wash tank capacity : 34.5 Ltr.
Rinse capacity : 22 Ltr.
Tank Temperature : 50~70°C
Temperature Boiler : 75~95°C
Water Pressure : 1.4Bar
Electrical Power : 380V
Heater Tank : 100W
Heater Rinse Tank : 9kw
Motor Pump : 1.5kw
Total Elec. Power : 13kw
Dimension : 740x870x1430mm
Net Weight : 120kg

VINOD INDUSTRIES

Dough Kneaders & Noodle Making Machines



Features:

- Available in 10,15, 25, 35 & 50 Kg. with 1Hp, 2Hp & 3Hp motor respectively.



Features:

- Available in 15, 25 & 50 Kg. with 1.1, 1.5 & 2.5 kw. motor respectively.
- SS body & SS bowl.
- Suitable for kneading dough.




Features:

- Available in 15, 25 & 50 Kg. with 1.1, 1.5 & 2.5 kw. motor respectively.
- All Iron body & SS bowl.
- Suitable for kneading dough.




Features:

- Available in 5, 10, 15, 20 & 40 Kg. with 0.4, 0.75, 1.1 & 1.5 kw. motor respectively.
- All Iron body & SS bowl.
- Suitable for kneading dough.



Features:

- Available in 2 roller sizes 5.25" & 6.2".
- Cutter Thickness 1.5mm.



Features:

- Available in 2 roller sizes 6.75" & 8" with 0.4 & 0.75kw motor respectively.



Features:

- Suitable for making noodles in bulk quantity.
- Roller size : 11inches.
- Productivity : 60 kg./hr.
- Power : 2.5 kw.

VINOD INDUSTRIES

Wet & Dry Grinders




2 in 1

- Features:**
- Available in 2 models with 1 H.P. & 2 H.P. motor.
 - Suitable for both wet & dry grinding



Gravy Machine

- Features:**
- Available in 3 models with 1.5, 2 & 3 H.P. motor.
 - Suitable for both wet & dry grinding



Masala Grinder

- Features:**
- Available in 3 models with 2, 5 & 7.5 H.P. motor.
 - Suitable for dry grinding



Wet Grinder

- Features:**
- Available in 7 models with 2, 3, 5, 7, 10, 15 & 20 Ltr. Cap.
 - Suitable for wet grinding



Wet Grinder (Tilting Type)

- Features:**
- Available in 4 models with 5, 10, 15 & 20 Ltr. Cap.
 - Suitable for wet grinding



Commercial Mixer Grinder

- Features:**
- Available in 3 models with 3, 5 & 7 Ltr. Cap. with 1400, 1600 & 1800 W Motor.
 - Suitable for both wet & dry grinding



Commercial Mixer Grinder

- Features:**
- Available in 3 models with 3, 5 & 8 Ltr. Cap. with 1.0, 1.5 & 2.0 H.P. Motor.
 - Suitable for both wet & dry grinding



Soyabean Grinder



Soyabean Grinder

- Features:**
- Available in 2 models with yellow & silver color.
 - Motor power 1.1 Kw. with the productivity of 20 Kg./Hr.



Soyabean Grinder

- Features:**
- Available in 2 models with motor power 1.1 & 1.5 Kw. with the productivity of 20 & 50 Kg./Hr. respectively.

VINOD INDUSTRIES

Namkeen & Chips Machines



Potato Peeler (SS Body)

- Features:**
- Available in 8, 15, 30 & 50 Kg.
 - Comes with sand paper inside.


Potato Peeler (SS Body)

- Features:**
- Available in 8, 15 & 30Kg.
 - Comes with stainless steel cutter sheet inside.

Potato Chips & Lachha Cutting Machine



- Features:**
- Suitable for bulk production of potato chips and potato lachhas.
 - Comes with 2 attachments of blades.



Malli Machine



- Features:**
- Available with 1H.p. Motor

Dryer Machine



- Features:**
- Available in stainless steel & mild steel body
 - Motor Power 1/2H.p. with 8 kg. per batch capacity.

Sev Bhujia Machine



- Features:**
- Available in stainless steel body.
 - Motor Power 1H.p. with 40-100 kg. per hr. capacity.

VINOD INDUSTRIES

Miscellaneous




Grinding Machine

- Features:
- Available in 2Hp & 3Hp

Momo Steamer

- Features:
- Available in 2 sizes with 5 & 6 racks respectively.

Lassi & Juice Machine (Indian)



Khaman Dhokla & Idli Steamer



Pulper Machine

- Features:
- Available in 4 models 16", 20", 24" & 36".
 - Suitable for separating pulp and juice.



Mushta Machine

- Features:
- Suitable for Cashew nut grinding for sweets making.



Mawa Machine

- Features:
- Available in 2 models 65 & 110 ltrs.
 - Runs on LPG & Diesel.


VINOD INDUSTRIES

Ice Makers & Refrigeration Equipments



Ice cube Maker						
Model	Power (Kw)	Voltage (V)	Ice Production (Kg)	Ice Storage (Kg)	Net Weight (kg)	Dimensions (mm)
ICM-25	0.35	220	28~30	10	40	500x480x810
ICM-45	0.4	220	48~50	20	50	500x560x890
ICM-60	0.48	220	60~70	35	72	706x570x1010
ICM-90	0.68	220	90~100	45	84	830x575x1010
ICM-120	0.75	220	120~130	45	84	830x575x1410
ICM-150	0.78	220	150~165	250	85	760x840x1440
ICM-250	1.08	220	250~270	250	85	760x840x1640

- Features:
- High quality, hard, solid, attractive ice that lasts long.
 - Easy to use.
 - Less energy, less water.



- Features:
- Quick & deep freezing.
 - Mechanical temperature control with adjustable thermostat.
 - Indicating light.
 - Environment-friendly technology.
 - Low energy consumption.
 - Low noise design.
 - Lock and key.



BD-100/200

Hard Top Chest Freezer					
Model	Voltage (V)	Capacity (Ltr.)	Cabinet Temp. (°C)	Net Weight (kg)	Dimensions (mm)
BD-100	220	100	-18 ~ -22	30	554x552x845
BD-200	220	200	-18 ~ -22	48	874x552x845
BD-300	220	300	-18 ~ -22	58	1118x602x845
BD-420	220	420	-18 ~ -22	70	1195x705x950
BD-520	220	520	-18 ~ -22	75	1425x705x950
BD-720	220	720	-18 ~ -22	90	2025x705x950



BD-300/420/520/720

VINOD INDUSTRIES
Refrigeration Equipments

Features:

- Quick & deep freezing.
- Mechanical temperature control with adjustable thermostat.
- Indicating light.
- Environment-friendly technology.
- Low energy consumption.
- Low noise design.
- Lock and key.

Glass Top Chest Freezer						
Model	Voltage (V)	Capacity (Ltr.)	Cabinet Temp. (°C)	Net Weight (kg)	Dimensions (mm)	
WD-150	220	150	-18 ~ -22	46	640x680x832	
WD-200	220	200	-18 ~ -22	50	780x680x832	
WD-300	220	300	-18 ~ -22	54	1080x680x832	
WD-400	220	400	-18 ~ -22	58	1390x680x832	
WD-520	220	520	-18 ~ -22	58	1625x946x772	



WD-150/200/300/400/520



WD-250Y/290Y/330Y

Glass Top Chest Freezer						
Model	Voltage (V)	Capacity (Ltr.)	Cabinet Temp. (°C)	Net Weight (kg)	Dimensions (mm)	
WD-250Y	220	250	-18 ~ -22	54	1055x625x865	
WD-290Y	220	290	-18 ~ -22	60	1205x625x865	
WD-330Y	220	330	-18 ~ -22	64	1325x625x865	

Features:

- Quick & deep freezing.
- Mechanical temperature control with adjustable thermostat.
- Indicating light.
- Environment-friendly technology.
- Low energy consumption.
- Low noise design.
- Lock and key.



Ice Cream Roll Machine			
Power (Kw)	Output (Ltrs/Hr.)	Weight (Kg)	Dimension (mm)
1.1	50	55	650x650x880

VINOD INDUSTRIES
Refrigeration Equipments



Back Bar Chiller				
Model	Doors	Temperature Range	Volume (Ltrs.)	Dimension (mm)
BB-1	1	0-10°C	130	600x520x900
BB-2	2	0-10°C	210	900x520x900
BB-3	3	0-10°C	320	1350x520x900



BC-300/430/400F

BC-600/1000/1000S

Upright Showcase					
Model	Voltage (V)	Capacity (Ltr.)	Cabinet Temp. (°C)	Net Weight (kg)	Dimensions (mm)
BC-300	220	300	0 ~ 10	68	620x595x1921
BC-430	220	430	0 ~ 10	85	620x690x2070
BC-400F	220	400	0 ~ 10	129	900x630x1856
BC-600	220	600	0 ~ 10	140	900x725x2030
BC-1000	220	1000	0 ~ 10	177	1200x730x2165
BC-1000S	220	1000	0 ~ 10	177	1200x730x2165

Features:

- Direct cooling system, with fan to even inside cold air.
- Double layers standard glass door for anti condensation.
- 1 inner cabinet light, one canopy light.
- Drain auto evaporation system.

Wine Chiller

Model	Cooling System	Temp. (°C)	Loading Bottle	Dimensions (mm)
W-28	Fan	3-22	25-40	395x480x840
W-43	Fan	3-22	43-53	395x480x1020
W-75	Fan	3-22	75-95	595x580x1590
W-137	Fan	3-22	137-150	620x600x1590
W-192	Fan	3-22	192-220	620x680x1840

Features:

- Adjustable wood shelves.
- Tempered glass doors.
- Digital control.
- Inner LED light.
- Lock fitted.



VINOD INDUSTRIES
Refrigeration Equipments

Vertical					
Model	Power (Kw)	Voltage (V)	Capacity (Ltr.)	Net Weight (kg)	Dimensions (mm)
2 Door	0.5	220	600	120	760x830x2070
4 Door	0.63	220	1000	1220	1220x780x2070

- Features:
- Stainless steel framework construction.
 - Electronic thermostat and LED digital display for accuracy and easy reading.
 - Available as refrigerators & freezers.



2 Door 4 Door



WC-320/420/520

Under Counter					
Model	Power (Kw)	Voltage (V)	Capacity (Ltr.)	Net Weight (kg)	Dimensions (mm)
WC-320	0.32	220	320	92	1500x800x810
WC-420	0.49	220	420	115	1800x800x810
WC-520	0.53	220	520	125	2100x625x865

- Features:
- Stainless steel framework construction.
 - Electronic thermostat and LED digital display for accuracy and easy reading.
 - Available as refrigerators & freezers.

VINOD INDUSTRIES
Few of Our Customized Works

